

NON-Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: NuFlex Colour

Synonyms

MASTER EXPORT 1000L NUFLEX - COLOURS 1L NUFLEX - NUTECH COLOURS 200L NUFLEX - NUTECH COLOURS 1000L NUFLEX - NUTECH COLOURS 10LT NUFLEX - NUTECH COLOURS 4LT NUFLEX AVOCADO 10L NUFLEX AVOCADO 20L NUFLEX AVOCADO 4LTR NUFLEX BASE 19 LT NUFLEX BEIGE 20L NUFLEX BENDIGO GREY 10L NUFLEX BENDIGO GREY 20L NUFLEX BENDIGO GREY 4L NUFLEX BIRCH GREY 20L NUFLEX BLACK 10L NUFLEX BLACK 20L NUFLEX BLACK 4L NUFLEX BLUE RIDGE 20LT NUFLEX BLUESTONE 10L NUFLEX BLUESTONE 20L NUFLEX BLUESTONE 4L NUFLEX BORAL HERITAGE GREEN 20 NUFLEX BORAL SPECIAL COLOR 20L NUFLEX BROWN 660 10L NUFLEX BROWN 660 20L NUFLEX BROWN 660 4L NUFLEX BROWN 686 10L NUFLEX BROWN 686 20L NUFLEX BROWN 686 4L NUFLEX BURGUNDY 180 10L NUFLEX BURGUNDY 180 20L NUFLEX BURGUNDY 180 4L NUFLEX BUSHLAND 20LT NUFLEX CAULFIELD GREEN 20L NUFLEX CHAMPAGNE 10L NUFLEX CHAMPAGNE 20L NUFLEX CHAMPAGNE 4L NUFLEX CHARCOAL 10L NUFLEX CHARCOAL 20L NUFLEX CHARCOAL 4L NUFLEX CHOCOLATE 20L NUFLEX CLASSIC RED 20L NUFLEX CORAL 20L NUFLEX CREAM 20L NUFLEX DEEP OCEAN 10LT NUFLEX DEEP OCEAN 20LT NUFLEX DUNE 20LT NUFLEX EARL GREY 20L NUFLEX EBONY 20L NUFLEX GRECIAN TERRACOTTA 10L NUFLEX GRECIAN TERRACOTTA 20L NUFLEX GRECIAN TERRACOTTA 4L NUFLEX GUNMETAL 20L

Product Code RCNFEXM1K RCNF01 RCNF200 RCNFK1 RCNF10 RCNF04 RCNFAV10 RCNFAV20 RCNFAV04 RCNF19 RCNFBEIGE20 RCNFBG10 RCNFBG20 RCNFBG04 RCNFBIRCHG20 RCNFBLK10 RCNFBLK20 RCNFBLK04 **RCNFBLUERIDGE20** RCNFBS10 RCNFBS20 RCNFBS04 RCNFBORALHG20 RCNFBORALSP RCNFBROWN66010 RCNFBROWN66020 RCNFBROWN66004 RCNFBROWN68610 RCNFBROWN68620 RCNFBROWN68604 RCNFBURG18010 RCNFBURG18020 RCNFBURG18004 **RCNFBUSHLAND20** RCNFCBCG20 RCNFCHAMP10 RCNFCHAMP20 RCNFCHAMP04 RCNFCHAR10 RCNFCHAR20 RCNFCHAR04 RCNFCHOCO20 RCNFCLASSICR20 RCNFCORAL20 RCNFCREAM20 RCNFDEEPO10 **RCNFDEEPOC20 RCNFDUNE20** RCNFEARLG20 RCNFCBEBONY20 RCNFGC10 RCNFGC20 RCNFGC04 RCNFGUNM20

Product Name: NuFlex Colour

NUFLEX HEADLAND 20LT NUFLEX HERITAGE GREEN 20L NUFLEX HOMEBUSH 10L NUFLEX HOMEBUSH 20L NUFLEX HOMEBUSH 4L NUFLEX HOMESTEAD 20L NUFLEX INDIAN RED 20L NUFLEX IRONBARK 20L NUFLEX IRONSTONE 20L NUFLEX JASPER 20L NUFLEX LIGHT GREY 10L NUFLEX LIGHT GREY 20L NUFLEX LIGHT GREY 4L NUFLEX LOW SHEEN CLEAR 3.8L NUFLEX LOW SHEEN CLEAR 9.5L NUFLEX LOW SHEEN CLEARBASE 19L NUFLEX LOW SHEEN COLOUR 10L NUFLEX LOW SHEEN COLOUR 20L NUFLEX LOW SHEEN COLOUR 4L NUFLEX MANGANESE 10L NUFLEX MANGANESE 20L **NUFLEX MANGANESE 4L** NUFLEX MANOR RED 20L NUFLEX MASTER BASE 4L NUFLEX MELON 20L NUFLEX MERINO 20L NUFLEX MID BRUNSWICK GREEN 10L NUFLEX MID BRUNSWICK GREEN 20L NUFLEX MID BRUNSWICK GREEN 4L NUFLEX MIDNIGHT 20L NUFLEX MISSION BROWN 20L NUFLEX MIST GREEN 20L NUFLEX MONUMENT 20L NUFLEX NEPTUNE 20L NUFLEX NUTMEG 10L NUFLEX NUTMEG 20L NUFLEX NUTMEG 4L NUFLEX OXIDE RED 20L NUFLEX PALE EUCALYPT 10L NUFLEX PALE EUCALYPT 20LT NUFLEX PAPERBARK 20LT NUFLEX PEACH 10L NUFLEX PEACH 20L NUFLEX PEACH 4L NUFLEX PLANTATION 20LT NUFLEX RACCOON 20LT NUFLEX RED 110 10L NUFLEX RED 110 20L NUFLEX RED 110 4L NUFLEX RED 130 10L NUFLEX RED 130 20L NUFLEX RED 130 4L NUFLEX RIVERGUM 10L NUFLEX RIVERGUM 20L NUFLEX RIVERGUM 4L NUFLEX RUST 222 10L NUFLEX RUST 222 20L NUFLEX RUST 222 4L NUFLEX SADDLE BROWN 20L NUFLEX SAFETY YELLOW 10L NUFLEX SAFETY YELLOW 20L NUFLEX SAFETY YELLOW 4L



RCNFHEADLAND20 RCNFHERITSGEG20 RCNFHB10 RCNFHB20 RCNFHB04 RCNFHOMES20 **RCNFINDIANR20** RCNFIRONB20 RCNFIRONS20 RCNFJASP20 RCNFLG10 RCNFLG20 RCNFLG04 RCNFMATBASE04 **RCNFMATBASE10 RCNFMATBASE19 RCNFMATTCOL10** RCNFMATTCOL20 RCNFMATTCOL04 RCNFMANG10 RCNFMANG20 RCNFMANG04 RCNFMANORRED20 RCNFMB04 RCNFMELON20 RCNFMERINO20 RCNFMBG10 RCNFMBG20 RCNFMBG04 RCNFMIDNIGHT20 RCNFMISSIONB20 RCNFMISTG20 RCNFMONU20 **RCNFNEPTUNE20** RCNFNM10 RCNFNM20 RCNFNM04 **RCNFOXIDER20** RCNFPALEECUA10 RCNFPALEECUA20 RCNFPAPERBARK20 RCNFPEACH10 RCNFPEACH20 RCNFPEACH04 **RCNFPLANTATION20** RCNFRACCOON20 RCNFRED11010 RCNFRED11020 RCNFRED11004 RCNFRED13010 RCNFRED13020 RCNFRED13004 RCNFRG10 RCNFRG20 RCNFRG04 RCNFRUST22210 RCNFRUST22220 RCNFRUST22204 RCNFSADDLEB20 RCNFSY10 RCNFSY20 RCNFSY04

Product Name: NuFlex Colour

NUFLEX SAHARA 20L NUFLEX SALTBUSH 20L NUFLEX SAMPLE POT - C/MATCH SPECIAL COLOUR COLOURMATCHED NUFLEX SANDBANK 20LT NUFLEX SANDSTONE 10L NUFLEX SANDSTONE 20L NUFLEX SANDSTONE 4L NUFLEX SEAGRASS 20L NUFLEX SHALE GREY 20L NUFLEX SHERBROOKE 10L NUFLEX SHERBROOKE 20L NUFLEX SHERBROOKE 4L NUFLEX SIENNA 20L NUFLEX SIGNAL RED 10L NUFLEX SIGNAL RED 20L NUFLEX SIGNAL RED 4L NUFLEX SLATE GREY 20L NUFLEX SMOKEBUSH 10L NUFLEX SMOKEBUSH 200L NUFLEX SMOKEBUSH 20L NUFLEX SMOKEBUSH 4L NUFLEX SPECIAL COLOUR 20L NUFLEX SUNSET 10L NUFLEX SUNSET 20L NUFLEX SUNSET 4L NUFLEX SURFMIST 20L NUFLEX TAN 610 10L NUFLEX TAN 610 20L NUFLEX TAN 610 4L NUFLEX TERRA COTTA 10L NUFLEX TERRA COTTA 4L NUFLEX TERRACOTTA 20L NUFLEX TUSCAN RED 10LT NUFLEX TUSCAN RED 20LT NUFLEX TUSCAN RED 4LT NUFLEX VALLEY BROWN 10L NUFLEX VALLEY BROWN 20L NUFLEX VALLEY BROWN 4L NUFLEX WHEAT 20L NUFLEX WHITE 10L NUFLEX WHITE 20L NUFLEX WHITE 4L NUFLEX WILDERNESS 20LT NUFLEX WOODLAND GREY 20L

Paint for a perfect finish

RCNFSAHARA20 RCNFSALTB20 RCNFSAMSP RCNFSANDBANK20 RCNFSS10 RCNFSS20 RCNFSS04 RCNFSEAGRASS20 RCNFSHGREY RCNFSHERB10 RCNFSHERB20 RCNFSHERB04 RCNFSIENNA20 RCNFSR10 RCNFSR20 RCNFSR04 RCNFSLATEG20 RCNFSB10 RCNFSB200 RCNFSB20 RCNFSB04 RCNF20 RCNFSUNSET10 RCNFSUNSET20 RCNFSUNSET04 RCNFSURF20 RCNFTAN61010 RCNFTAN61020 RCNFTAN61004 RCNFTC10 RCNFTC04 RCNFTC20 RCNFTUSRD10 RCNFTUSRD20 RCNFTUSRD04 RCNFVB10 RCNFVB20 RCNFVB04 **RCNFWHEAT20** RCNFWH10 RCNFWH20 RCNFWH04 **RCNFWILDERN20** RCNFWOODLGR20

Recommended use: SURFACE COATING

Supplier: ABN:	Nutech Paint Pty Ltd 94 242 116 396
	•••••••
Street Address:	4 Keppler Circuit
	Seaford VIC 3198
	Australia
Telephone:	03 9770-3000
Facsimile:	03 9775-1680

Emergency Telephone number: 03 9770-3000 (7:45 am-4:30 pm; Mon-Fri, AEST)

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Product Name: NuFlex Colour



Signal Word

Hazard Classification

Acute Hazard to the Aquatic Environment - Category 3

Hazard Statement

H402 Harmful to aquatic life.

Prevention Precautionary Statements

P102Keep out of reach of children.P103Read carefully and follow all instructions.

Response Precautionary Statement Not allocated

Storage Precautionary Statement Not allocated

Disposal Precautionary Statement Not allocated

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION		
CHEMICAL ENTITY	CAS NO	PROPORTION
Acrylic polymer(s) Colour pigments Ingredients determined to be Non-Hazardous		30 - 60 % < 5 % Balance
		100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink.



Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Fire fighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

This product is a "Manufactured Product" as defined in the ADG Code.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.



Engineering Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Base Units:	Litres
Form:	Viscous Liquid
Colour:	Various Colours
Odour:	Slight Ammoniacal Odour

Solubility: Solubility in water: Specific Gravity: Relative Vapour Density (air=1): Flash Point (°C): Flammability Limits (%): Autoignition Temperature (°C): Melting Point/Range (°C): Boiling Point/Range (°C): pH: Total VOC (g/Litre): Soluble in Water Miscible with Water 1.04-1.08 Unknown Non Flammable N/APP N/APP 0 100 8.5 - 9.0 < 50

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:



Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant.

Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 20.0 \text{ mg/L}$ for vapours or $LC_{50} > 5.0 \text{ mg/L}$ for dust and mist.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg bw}$

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg bw}$

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as a Category Acute 3 Hazard. Acute toxicity estimate (based on ingredients): > $10 \le 100 \text{ mg/L}$

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log $K_{ow} < 4$.

Ecotoxicity: No information available.

Persistence and degradability: No information available.



Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land". This product is a "Manufactured Product" as defined in the ADG Code.

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances) The Stockholm Convention (Persistent Organic Pollutants) The Rotterdam Convention (Prior Informed Consent) Basel Convention (Hazardous Waste)

This material is subject to the following international agreements:

International Convention for the Prevention of Pollution from Ships (MARPOL)

Annex III - Harmful Substances carried in Packaged Form

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

16. OTHER INFORMATION

Reasons for issue: Revised 5 Yearly Revision

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered



without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.